

IN THE CLAIMS:


This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended) A light emitting device comprising an organic electroluminescence element, said electroluminescence element comprising:

an organic luminescent layer ~~comprising an organic compound, said luminescent layer~~ capable of converting triplet excitation energy into light to be emitted; and

a host material for said luminescent layer,

wherein said host material comprises a material expressed by the following formula




2. (Original) An electronic appliance comprising said light emitting device according to claim 1, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

3. (Currently amended) A light emitting device comprising an organic electroluminescence element, said electroluminescence element comprising:

at least a hole transport layer; and

an organic luminescent layer ~~comprising an organic compound~~ adjacent to said hole transport layer, said luminescent layer being capable of converting triplet excitation energy into light to be emitted; and

wherein said hole transport layer comprises a material expressed by the following formula



±

4. (Original) An electronic appliance comprising said light emitting device according to claim 3, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.


5. (Currently amended) A light emitting device comprising an organic electroluminescence element, said electroluminescence element comprising:

at least an organic luminescent layer ~~comprising an organic compound~~, said luminescent layer capable of converting triplet excitation energy into light to be emitted;

a host material for said luminescent layer; and


a hole blocking layer provided adjacent to said luminescent layer,

wherein said hole blocking layer comprises a material expressed by the following formula



, and

wherein said host material comprises a material expressed by the following formula



6. (Original) An electronic appliance comprising said light emitting device according to claim 5, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.


7. (Currently amended) A light emitting device comprising an organic electroluminescence element, said electroluminescence element comprising:

at least an organic luminescent layer ~~comprising an organic compound~~, said luminescent layer capable of converting triplet excitation energy into light to be emitted;

a host material for said luminescent layer; and


a hole blocking layer provided adjacent to said luminescent layer,


wherein said hole blocking layer comprises a material expressed by the following formula



, and

wherein said host material comprises a material expressed by the following formula





10. (Original) An electronic appliance comprising said light emitting device according to claim 9, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.


11. (Currently amended) A light emitting device comprising an organic electroluminescence element, said electroluminescence element comprising:

at least an organic luminescent layer ~~comprising an organic compound, said luminescent layer~~ capable of converting triplet excitation energy into light to be emitted; and

a hole blocking layer provided adjacent to said luminescent layer,

wherein said hole blocking layer comprises a material expressed by the following formula, and

wherein "A" indicates one of carbon or silicon



12. (Original) An electronic appliance comprising said light emitting device according to claim 11, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.